

# AA Composites - 0444568646

## RiverTable Instructions & Info

### Non Toxic & Food Grade

2:1 by Volume

RiverTable Epoxy is Food Grade and Non-toxic, because it is so clear and has UV inhibitors this is one of our most popular resins. It is multi-purpose with a pour depth of up to 50mm! It is perfect for Small projects to giant RiverTables.

Mix 2 parts A to 1 Part B by volume. Mix resin and hardener together, the resin will go cloudy - keep mixing until resin goes back to clear \*always mix by hand\*. Make sure all of the product has been mixed, including scraping the sides of the mixing container. Pour resin and allow to cure.

**Depth of Resin:** RiverTable can be poured from 1mm to 50mm in one go.

**Setting time of Resin:** Working time: 2 ½ Hours  
Initial Cure: 16 Hours  
Full Cure: 3 Days

\*Please note that the resin times are based on 25°C lab tested results and will vary on depth of pour and temperature.

Resin will not set below 10°C, and will take longer in a cooler environment, make sure on cooler days that the resin is in the sun or near heat, you can warm the bottles in hot tap water before pouring to allow the resin to heat up a bit.