

AA Composites - 0444568646

SuperCoat Instructions & Info

Non Toxic & Food Grade

2:1 by Volume

SuperCoat is one of our hardest Epoxy Resin! It is harder than marble and super clear, this resin withstands 80 deg C'. Best used for coating furniture such as tables and counters, making coasters and jewelry.

Mix 2 parts A to 1 Part B by volume. Mix resin and hardener together, the resin will go cloudy - keep mixing until resin goes back to clear *always mix by hand*. Make sure all of the product has been mixed, including scraping the sides of the mixing container. Pour resin and allow to cure.

Depth of Resin: Supercoat can be used to coat and can be poured to 12mm.

Setting time of Resin: Working time: 1 ½ Hours
Initial Cure: 12 Hours
Full Cure: 3 Days

Coverage: approx 250ml per square meter, per coat

*Please note that the resin times are based on 25°C lab tested results and will vary on depth of pour and temperature.

Resin will not set below 10°C, and will take longer in a cooler environment, make sure on cooler days that the resin is in the sun or near heat, you can warm the bottles in hot tap water before pouring to allow the resin to heat up a bit.