

AA Composites - 0444568646

360+ Epoxy Instructions & Info

Non Toxic, Food Grade & Non Dangerous Goods

2:1 by Volume

360+ Epoxy Resin is one of our newest resins, it was originally designed for surfboards but as we have tested more and more applications we have found that there is so many brilliant other uses for it; such as coasters, mugs, plates - once cured it has been put through the microwave and dishwasher with no changes or effects to the resin or the product.

Mix 2 parts A to 1 Part B by volume. Mix resin and hardener together, the resin will go cloudy - keep mixing until resin goes back to clear *always mix by hand*. Make sure all of the product has been mixed, including scraping the sides of the mixing container. Pour resin and allow to cure.

Depth of Resin: 360+ can be used to coat and can be poured to a maximum depth of 8mm

Setting time of Resin: Working time: 20 Minutes

Initial Cure: 2 Hours

Full Cure: 24 Hours

*Please note that the resin times are based on 25°C lab tested results and will vary on depth of pour and temperature.

Resin will not set below 10°C, and will take longer in a cooler environment, make sure on cooler days that the resin is in the sun or near heat, you can warm the bottles in hot tap water before pouring to allow the resin to heat up a bit.